



THE COMPLETE DECKING SYSTEM






arbordeck®
the complete decking system





DESIGNED FOR YOUR LIFESTYLE



Your complete timber decking solution

Arbordeck® is manufactured by a British company with more than 175-years' experience in the timber industry, and offers arguably the widest choice of decking products to help you extend your home into the garden.

The range includes smooth and grooved softwood boards, a choice of enhanced grip deck boards, joists and a wide selection of balustrades with a range of styles and finishes for both commercial and domestic applications.

So, whether traditional or contemporary, Arbordeck has the garden decking products to suit your taste and budget.

- / Sustainably sourced
- / Chain of Custody certification
- / Choice of deck styles and sizes
- / Joists, rails and support timbers
- / Treated for long-life performance
- / Quality European timber offering increased strength and stability
- / Complementary products available

ARBORDECK = PEACE OF MIND

Sustainable in every sense

Arbordeck is a founder member of Forests Forever, the environmental voice of the industry and we work closely with both FSC® and PEFC.

We're proud to be one of the few manufacturers to offer a full Chain of Custody Certified decking system. This provides full traceability, ensuring that all of our products come from well-managed sources.

Sustainability is also about providing a deck that will look good for years to come. This is why we only use quality European timbers from northern latitudes, where the wood fibres offer a closely packed structure and increased strength and stability.

We also treat all our softwood products in the Arbordeck range, even the components you don't see when your deck is completed, with Naturewood, an advanced preservative to keep your deck in top condition.



The mark of
responsible forest
management



Promoting Sustainable
Forest Management
www.pefc.org





SUITABLE FOR ALL CHALLENGES

Whether steeply sloping or inaccessible, there's an Arbordeck solution for you

An Arbordeck deck can bring in to use difficult or inaccessible garden areas that would be near impossible to undertake with other landscaping materials.

Whether you're looking for a practical and attractive solution for a balcony or a cost-effective alternative to a conventional lawn, decking can provide a year round extension to your living space and, with only minimal maintenance, will be as good in years to come as the day it was installed.

For instance, the introduction of a relatively straightforward deck on a steeply sloping site can produce an area for relaxing and entertaining with excellent storage space below the deck.

GET CREATIVE

Make the most of your outdoor life

Not only practical and cost-effective, with careful design decking can add real value to your home and make those moments you spend in the garden even more special.

Clever changes of board direction, mixing smooth and grooved boards, introducing more than one deck level, creating shapes, careful selection of balustrade style or the addition of features such as rope and deck planters all help you create an individual design statement.

You can even add a simple gazebo using Arbordeck deck boards and support timbers.

The creative options are endless with Arbordeck!






Top left. Decking is perfect for integrating with hot tubs, outdoor sofas and even trampolines!

Top right. Transform an unused area into a warm and welcoming space.

Bottom left. Add special design features such as deck planters.

Bottom right. A combination of smooth and grooved boards create a striking design statement.





SAFETY FIRST

Low-slip decking, when safety is paramount

Arbordeck offers a range of solutions for those areas where you need extra grip properties, such as steps and ramps, or even for a complete deck, particularly useful for schools and colleges.

You can be assured of quality and longevity with all Arbordeck enhanced grip decking, which all surpass the minimum requirement for 'low-slip potential'.

For further guidance and maintenance information please contact Arbordeck.



Two Strip Smooth
33 x 120mm



Two Strip Grooved Thinline
27 x 119mm



Two Strip Grooved
33 x 120mm



To watch a video on our enhanced-grip decking visit www.youtube.com/arbordeck

COMMERCIAL

An ideal solution for commercial decking

Strong environmental accreditations and a wide choice of materials and finishes makes Arbordeck the natural choice for the specifier.

Perfect for projects as diverse as schools and leisure parks, office break-out areas, restaurants, pubs and clubs, Arbordeck is more than a match for even the most demanding applications.





TAKE YOUR PATIO TO THE NEXT LEVEL

With decking from Arbordeck you can simply and effectively extend your house into your garden, helping you make the most of your outdoor space.

Contemporary or classic, we have the products to make your design a reality.



BRING YOUR INDOOR OUTDOOR

Even if you've a multi-level garden you can transform it from an unused space to a place to relax, unwind and entertain with decking from Arbordeck!

Whether your tastes are modern or traditional, we have the products to make your dream a reality.

SPECIFICATION

DECK BOARDS



Note, colours shown are as accurate as the print process will allow. Please request a sample prior to ordering.
*Subject to availability.

	DESCRIPTION	NOMINAL DIMS	FINISHED DIMS	PACK SIZE	AVAILABLE LENGTHS	PRODUCT CODE
	Treated Reversible Board	25mm x 100mm	20mm x 95mm	176	3.6m / 4.8m	g025100RDC36 / 48
	Treated Smooth & Grooved Reversible Board	32mm x 125mm	27.5mm x 118mm	252	3.0m / 3.6m / 4.2m / 4.8m / 5.4m*	g032125RED30 / 36 / 42 / 48 / 54*
	Treated Smooth & Grooved Reversible Board	32mm x 150mm	27.5mm x 144mm	196	3.0m / 3.6m / 4.2m / 4.8m / 5.4m*	g032150REV30 / 36 / 42 / 48 / 54*
	Treated Grooved & Reeded Reversible Board	32mm x 150mm	27.5mm x 144mm	196	3.0m / 3.6m / 4.2m / 4.8m / 5.4m*	g032150RE30 / 36 / 42 / 48 / 54*
 Premium	Premium Treated Smooth & Grooved Reversible Board	38mm x 125mm	33mm x 120mm	144	3.0m / 3.6m / 4.2m / 4.8m / 5.1m* / 5.4m / 5.7m*	g038125RE30 / 36 / 42 / 48 / 51* / 54 / 57*
	Treated Grooved & Reeded Reversible Board	38mm x 125mm	33mm x 120mm	207	3.0m / 3.6m / 4.2m / 4.8m	g038125RED30 / 36 / 42 / 48
	Thinline Enhanced Grip Grooved Deck Board	32mm x 125mm	27mm x 119mm	Singles	On application	mrg032125AGG2
	Enhanced Grip Grooved Deck Board	38mm x 125mm	33mm x 119mm	Singles	On application	mrg038125AGG2
	Enhanced Grip Smooth Deck Board	38mm x 125mm	33mm x 120mm	Singles	On application	mrg038125AGG3

ALSO AVAILABLE

A contemporary option, suitable for use as both rail and deck board.



Contemporary 4 Smooth Rail / Smooth Deck Board

PACK SIZE
4ppp

FINISHED DIMS
33mm x 94mm

AVAILABLE LENGTHS
3.6m / 4.8m

PRODUCT CODE
g038100TR36 / 48



Contemporary 6 Smooth Rail / Smooth Deck Board

PACK SIZE
4ppp

FINISHED DIMS
33mm x 145mm







AVAILABLE LENGTHS
3.6m / 4.8m

PRODUCT CODE
g038150TR36 / 48









SPECIFICATION

SUPPORT POSTS, RAILS, SPINDLES, NEWELS & ACCESSORIES



	DESCRIPTION	FINISHED DIMS	PACK SIZE	AVAILABLE LENGTHS	PRODUCT CODE
	Treated Planed Support Post	94mm x 94mm <i>Treated to Use Class 4 for in-ground contact.</i>	Singles	2.4m	mrg100100TP24
	Treated Utility Rail	32mm x 66mm <i>Use for both hand and base rail</i>	Pack of 40	1.8m / 3.6m	g032066TR / 36
	Treated Utility Rail	45mm x 70mm <i>Use for both hand and base rail, requires fillet, sold separately. See below.</i>	Pack of 20	1.8m / 3.6m	g045070TRI8 / 36
	Treated Fillet	15mm x 41mm <i>For use with the above 45mm Treated Utility Rail</i>	Single		g015041TFR
	Modern Treated Spindle with 45 Degree Base Chamfer	41mm x 41mm	Pack of 30 Pallet of 480	1m	g041041 g041041P
	Stop/Chamf Treated Spindle	41mm x 41mm	Pack of 30 Pallet of 480	0.9m	g041041SCT g041041SCTP
	Square Treated Spindle	41mm x 41mm	Pack of 30 Pallet of 480	0.9m	g041041TS g041041TSP
	Turned Treated Spindle	41mm x 41mm	Pack of 30 Pallet of 480	0.9m	g041041TTS g041041TTSP
	Patrice Newel Treated	83mm x 83mm	Pack of 4 Pallet of 80	1.2m / 1.5m	g083083TPN / 15 g083083TPNP / 15P
	Stop/Chamf Newel Treated	83mm x 83mm 90mm x 90mm	Pack of 4 Pallet of 80 Pack of 4 Pallet of 80	1.2m / 1.5m 1.2m	g083083SCTN / 15 g083083SCTP / 15P g090090SCTN g090090SCTP
	Square Newel Treated	83mm x 83mm 90mm x 90mm	Pallet of 80 Pack of 4 Pallet of 80	1.2m 1.2m	g083083TNPP g090090TNPP g090090TNPP
	Turned Newel Treated	90mm x 90mm 83mm x 83mm	Pallet of 80 Pack of 4 Pallet of 80	1.2m 1.2m	g090090TTPP g083083TTN g083083TTPP

ACCESSORIES

-  Ball Cap / Pack of 10
gaBALLCAP
-  Patrice Cap / Pack of 10 / 110mm
gaPATCAP110
-  Temple Cap / Pack of 10 / 125mm
gaTEMPLECAP125
-  Composite Bench Bracket / Singles
gDZBBPTG01
-  Composite Stair Bracket / Pairs, suitable for one step
gDZSBPTG01
-  Chevron Panel
Singles / 32mm x 760mm x 1.13m
mrgINFILLCHEV
-  Sunset Panel
Singles / 32mm x 760mm x 1.13m
mrgINFILLSUN
-  End-grain preservative / Pack of 6 / 1.0L
Apply to cuts or notches made to softwood timber to maintain the integrity of the preservative treatment.
gtENDCOAT1

How to buy Arbordeck

Visit www.arbordeck.co.uk for more information on our wide range of quality softwood decking products, or contact us by phone, fax, as below, or email on sales@arborforestproducts.co.uk

How to build Arbordeck

Are you a DIY enthusiast? Visit www.arbordeck.co.uk for help and advice. Alternatively contact us by phone, fax or email for a brochure to be posted to you.

If you would like your deck professionally installed contact us and we can put you in touch with a Timber Decking Association 'DeckMark™ accredited' installer.



The mark of responsible forest management



QUALITY ASSESSED
FIRM NO: 0005

DeckMark™ is a quality assurance scheme introduced by the Timber Decking and Cladding Association to confirm manufacturers' compliance with Best Practice guidance and all relevant British Standards. For further information please contact the TDCA on 01977 558 147.



Arbordeck uses timber from forest sources that are managed to strict international environmental standards.

arborforest
Products Ltd

Arbor Forest Products Ltd

Barrow Road, New Holland
North Lincolnshire DN19 7RR

Tel 01469 532 300
Fax 0844 801 33 37
Email sales@arborforestproducts.co.uk
Web www.arbordeck.co.uk

Join the conversation



@_arbordeck



www.pinterest.com/arbordeck



www.facebook.com/arbordeck

Timber is a natural product

Arbordeck is manufactured from natural timbers and, when exposed to the elements, there may be some surface degradation, movement and checking due to the action of sunlight and moisture. This is a natural process and does not affect the strength of the timber.

The colour of your decking will change naturally over time too. Some options available are to apply a regular coat of maintenance oil; completely change your deck's appearance with the addition of paint and stains or alternatively leave it to weather naturally to an attractive silver-grey.

For further details on installation, maintenance and much more please download our guides at www.arbordeck.co.uk

Thank you to the following designers, installers and organisations for the use of project photography in this brochure:

Arbordeck:
Distinctive Landscapes, Mansfield
GMS Leisure Limited, Truro
Timberscapes, Sheffield

Trex:
Gisborne Homes, Derby
Trex Company, Inc.
Whalley Construction, Darwen

The information contained within this publication is given in good faith. Every effort has been made to ensure that the guidance given is accurate and Arbordeck cannot accept any liability for loss or damage arising from the information contained herein. All photography and colours are reproduced as accurately as the print process will allow.

The installers whose projects are shown in this brochure are independently owned and operated, and are neither affiliated with nor agents or representatives of Arbordeck. Arbordeck makes no representations or warranties as to, and is not responsible for, the performance, acts or omissions of these installers.